

Decision

**amending the national technical approval /
general construction technique permit
of 21 August 2019**

**Zulassungsstelle für Bauprodukte und Bauarten
Bautechnisches Prüfamt**

Eine vom Bund und den Ländern
gemeinsam getragene Anstalt des öffentlichen Rechts

Mitglied der EOTA, der UEAtc und der WFTAO

Date:

14 Nov 2019

Reference number:

III 51-1.7.2-58/19

Approval number:

Z-7.2-3210

Validity

from: **14 November 2019**

to: **21 August 2024**

Applicant:

Skoberne Schornsteinsysteme GmbH

Ostendstraße 1

64319 Pfungstadt, Germany

Subject of approval:

Flue system chimney

T120 H1 W 2 O00 L30

This decision amends the national technical approval (*allgemeine bauaufsichtliche Zulassung*) / general construction technique permit (*allgemeine Bauartgenehmigung*) no. Z-7.2-3210 of 21 August 2019. This decision contains three pages. This decision applies only in conjunction with the above-mentioned national technical approval / general construction technique permit and shall not be used without it.

Translation authorised by DIBt

DIBt

REGARDING I GENERAL PROVISIONS

The General Provisions of national technical approval / general construction technique permit no. Z-7.2-3210 shall be replaced by the following version:

- 1 This decision confirms the fitness for use and application of the subject concerned in accordance with the Building Codes of the federal states (*Landesbauordnungen*).
- 2 This decision does not replace the permits, approvals and certificates required by law for carrying out construction projects.
- 3 This decision is granted without prejudice to the rights of third parties, in particular private property rights.
- 4 Notwithstanding further provisions in the 'Special Provisions', copies of this decision shall be made available to the user and installer of the subject concerned. The user and installer of the subject concerned shall also be made aware that this decision must be made available at the place of use or place of application. Upon request, copies of the decision shall be provided to the authorities involved.
- 5 This decision shall be reproduced in full only. Partial publication requires the consent of DIBt. Texts and drawings in promotional material shall not contradict this decision. In the event of a discrepancy between the German original and this authorised translation, the German version shall prevail.
- 6 This decision may be revoked. The provisions contained herein may subsequently be supplemented and amended, in particular if this is required by new technical findings.
- 7 This decision is based on the information and documents provided by the applicant. Alterations to this basis are not covered by this decision and shall be notified to DIBt without delay.
- 8 The general construction technique permit included in this decision also serves as a national technical approval for the construction technique.

Decision amending national technical approval /
general construction technique permit
No. Z-7.2-3210

Page 3 of 3 | 14 November 2019

REGARDING II SPECIAL PROVISIONS

The Special Provisions of the national technical approval / general construction technique permit shall be amended and supplemented as follows:

Section 3.1, fourth paragraph shall be amended as follows:

The accumulating condensate shall be disposed of using an odour trap made of a corrosion-resistant building material with a water trap height of at least 90 mm for pressure class P1 and 510 mm for pressure class H1. The odour trap shall have an inner diameter of at least 15 mm and be connected to the sewerage system. The provision of worksheet DWA-A 251 Condensate from boilers (*Kondensate aus Brennwertkesseln*), November 2011, of the German Association for Water, Wastewater and Waste (DWA), 53773 Hennef, shall apply. Regarding the drainage of the condensate, the statutes of the local disposal companies as well as the water law provisions of the federal states shall apply.

Rudolf Kersten
Head of Section

Drawn up by
Hajdel